

EOLLO®



EOLLO®



5900PEN



EOLLO®



TEHNIČKE KARAKTERISTIKE, TECHNICAL CHARACTERISTIC

M 5,90 DULJINA PREKO SVEGA, *LENGTH O.A.*

M 2,50 ŠIRINA, *BEAM*

KG 780 TEŽINA (BEZ MOTORA), *WEIGHT (WITHOUT ENGINE)*

6 KAPACITET OSOBA, *PASSENGERS CAPACITY*

VB/OUTBOARD MOTOR, *ENGINE*

KW 111/ KS 150 MAX. SNAGA MOTORA, *MAX. POWER*

LIT 150 SPREMNIK GORIVA, *FUEL TANK*

CE ODOBRENJE, *CERTIFICATION*

C KATEGORIJA BRODICE, *DESIGNED CATEGORY*



590 DAY



EOLD®



TEHNIČKE KARAKTERISTIKE, TECHNICAL CHARACTERISTIC

M 5,90	DULJINA PREKO SVEGA, LENGTH O.A.
M 2,50	ŠIRINA, BEAM
KG 850	TEŽINA (BEZ MOTORA), WEIGHT (WITHOUT ENGINE)
6	KAPACITET OSOBA, PASSENGERS CAPACITY
2	BROJ LEŽAJA, BEDS
VB/OUTBOARD	MOTOR, ENGINE
KW 111/ KS 150	MAX. SNAGA MOTORA, MAX. POWER
LIT 150	SPREMNIK GORIVA, FUEL TANK
CE	ODOBRENJE, CERTIFICATION
C	KATEGORIJA BRODICE, DESIGNED CATEGORY

590DAY LP



EOLD®



TEHNIČKE KARAKTERISTIKE, TECHNICAL CHARACTERISTIC

M 5,90	DULJINA PREKO SVEGA, LENGTH O.A.
M 2,50	ŠIRINA, BEAM
KG 680	TEŽINA (BEZ MOTORA), WEIGHT (WITHOUT ENGINE)
6	KAPACITET OSOBA, PASSENGERS CAPACITY
2	BROJ LEŽAJA, BEDS
VB	MOTOR, ENGINE
60-115 KS	MAX. SNAGA MOTORA, MAX. POWER
LIT 100	SPREMNIK GORIVA, FUEL TANK
CE	ODOBRENJE, CERTIFICATION
C	KATEGORIJA BRODICE, DESIGNED CATEGORY



650DAY



EOLLO®



650DAY



EOLO®



TEHNIČKE KARAKTERISTIKE, TECHNICAL CHARACTERISTIC

M 6,50	DULJINA PREKO SVEGA, LENGTH O.A.
M 2,50	ŠIRINA, BEAM
KG 1000	TEŽINA (BEZ MOTORA), WEIGHT (WITHOUT ENGINE)
8	KAPACITET OSOBA, PASSENGERS CAPACITY
2	BROJ LEŽAJA, BEDS
VB/OUTBOARD	MOTOR, ENGINE
KW 150/ KS 200	MAX. SNAGA MOTORA, MAX. POWER
LIT 200	SPREMNİK GORIVA, FUEL TANK
LIT 70	SPREMNİK VODE, WATERTANK
CE	ODOBRENJE, CERTIFICATION
C	KATEGORIJA BRODICE, DESIGNED CATEGORY



750DAY



EOLD®



TEHNIČKE KARAKTERISTIKE, TECHNICAL CHARACTERISTIC

M 7,50	DULJINA PREKO SVEGA, LENGTH O.A.
M 2,55	ŠIRINA, BEAM
KG 1500	TEŽINA (BEZ MOTORA), WEIGHT (WITHOUT ENGINE)
8	KAPACITET OSOBA, PASSENGERS CAPACITY
2	BROJ LEŽAJA, BEDS
VB	MOTOR, ENGINE
KW 224/ KS 300	MAX. SNAGA MOTORA, MAX. POWER
LIT 360	SPREMNIK GORIVA, FUEL TANK
LIT 70	SPREMNIK VODE, WATERTANK
CE	ODOBRENJE, CERTIFICATION
C	KATEGORIJA BRODICE, DESIGNED CATEGORY

830DAY



EOLD®



TEHNIČKE KARAKTERISTIKE, TECHNICAL CHARACTERISTIC

M 7,50	DULJINA PREKO SVEGA, <i>LENGTH O.A.</i>
M 8,30	DULJINA TRUPA, <i>LENGTH</i>
M 2,55	ŠIRINA, <i>BEAM</i>
KG 2000	TEŽINA (SA MOTOROM), <i>WEIGHT (WITH ENGINE)</i>
8	KAPACITET OSOBA, <i>PASSENGERS CAPACITY</i>
2	BROJ LEŽAJA, <i>BEDS</i>
MOTOR/ENGINE	UNUTARNJI/ <i>INBOARD</i>
KW 224/ KS 300	MAX. SNAGA MOTORA, <i>MAX. POWER</i>
LIT 360	SPREMNİK GORIVA, <i>FUEL TANK</i>
LIT 70	SPREMNİK VODE, <i>WATER TANK</i>
CE	ODOBRENJE, <i>CERTIFICATION</i>
C	KATEGORIJA BRODICE, <i>DESIGNED CATEGORY</i>

SERIJSKA OPREMA * STANDARD
DODATNA OPREMA O OPTIONAL



SERIJSKA OPREMA

830 DAY
750 DAY
650 DAY
590 DAY
590 OPEN




STANDARD EQUIPMENT

KABINA	830 DAY	750 DAY	650 DAY	590 DAY	590 OPEN	CABIN
DUPLI LEŽAJ	*	*	*	*		DOUBLE BED
KLIZNA VRATA	*	*	*			SLIDING DOOR
STOLIĆ	*	*				TABLE
2 BOČNA "OBLO" PROZORA SA ZAVJESAMA	*	*				N. 2 PORT-HOLES WITH CURTAINS
TEPIH	*	*	*			CARPET
SPREMIŠTA	*	*	*	*		WIDE STORAGE LOCKERS
PALUBNI PROZOR	*	*	*	0		HATCH
SET JASTUKA	*	*	*	*		CUSHIONS
RASVJETA	*	*	*	*		LIGHTS
KUPAONA	830 DAY	750 DAY	650 DAY	590 DAY	590 OPEN	TOILETTE
BOČNI "OBLO" PROZOR	*	*				N. 1 PORT-HOLE
UMIVAONIK	*	*				WASHBASIN
ELEKTRIČNI WC	*	*				ELECTRIC WC
ORMARIĆ ISPOD UMIVAONIKA	*	*				LOCKER UNDER THE SINK
SVJETLO	*	*				LIGHT
UPRAVLJAČKA KONZOLA	830 DAY	750 DAY	650 DAY	590 DAY	590 OPEN	CONSOLE
SIRENA	*	*	*	*	*	HORN
KOMPAS	*	*	*	*	*	COMPASS
VOLAN	*	*	*	*	*	STEERING WHEEL
HIDRAULIČNI KORMILARSKI UREDAJ	*	*	0			POWER STEERING
UTIČNICA 12V	*	*	*	*	*	SOCKET OUTLET 12V
KOKPIT	830 DAY	750 DAY	650 DAY	590 DAY	590 OPEN	COCKPIT
BITVE, INOX	*	*	*	*	*	BOLLARDS
SPREMIŠTE SIDRA SA VODILICOM	*	*	*	*	*	BOW ANCOR LOCKER WITH STEAMHEAD
PRAMČANA OGRADA, INOX	*	*	*	*	*	BOW STAINLESS STEEL HANDRAIL
PLEKSIGLAS VJETROBRAN	*	*	*	*	*	PLEXIGLASS WIND SCREEN
SJEDALO VOZAČA SA SPREMIŠTEM	*	*	*	*	*	DRIVING-SEAT WITH LOCKER
KRMENA KLUPA	*	*	*	*	*	REAR SOFA
PRAMČANO SUNČALIŠTE SA JASTUCIMA	*	*	*	*	*	BOW SUN-BATHING PLATFORM
SET JASTUKA	*	*	*	*	*	CUSHIONS
KRMENA PLATFORMA		*				REAR PLATFORM
INOX STEPENICE ZA MORE	*	*	*	*	*	LADDER
TUŠ NA KRMU	*	*	*	0	0	SHOWER
KUHINJSKI BLOK SA SUDOPEROM, KUHALOM I HLADNJAKOM	0	0	0	0	0	COOKING AREA WITH REFRIGERATOR AND WASHBASIN
STOLIĆ U KOKPITU	*	*	*	*	*	COCKPIT TABLE
BIMINI TENDA, INOX	0	0	0	0	0	BIMINI TOP, STAINLESS STEEL
RUKOHVATI NA KRMU, INOX	*	*	*	*	*	REAR STAINLESS STEEL HANDRAILS
ELEKTRIČNA INSTALACIJA	830 DAY	750 DAY	650 DAY	590 DAY	590 OPEN	ELECTRIC EQUIPMENT
SVJETLA ZA NAVIGACIJU	*	*	*	*	*	NAVIGATION LIGHTS
2 BATERIJE	*	*	0	0	0	N. 2 BATTERIES
KALJUŽNA PUMPA	*	*	*	*	*	BILGE PUMP
ELEKTRIČNA INSTALACIJA	*	*	*	*	*	COMPLETE ELECTRIC INSTALATION
PROTUPOŽARNI SISTEM U PROSTORU MOTORA	0					FIRE EXTINGUISHER INSTALATION
VENTILACIJA MOTORNOG PROSTORA	*					ENGINE COMPARTMENT ASPIRATION SYSTEM
ELEKTRIČNO VITLO SA SIDROM I LANCEM	0	0	0	0	0	ELECTRIC ANCHOR WINCH WITH ANCHOR AND CHAIN
PUNJAČ BATERIJA SA PRIKLJUKOM 220 V	0	0	0	0	0	BATTERY CHARGER WITH SHORE POWER 220 SUPPLY
SPREMNIK GORIVA, INOX	*	*	*	*	*	STAINLESS STEEL FUEL TANK
SPREMNIK VODE SA AUTOMATSKOM PUMPOM	*	*	*	0	0	WATER TANK WITH AUTOCLAVE



EOLO®





EOLD®

NAVITECH
YACHT SERVICE

A. Mataije b.b., HR -51250 Novi Vinodolski
Tel.: +385 51 792 073; Fax: +385 51 792 074
e-mail: navitech@ri.htnet.hr
www.navitech.hr